2022年第二批新增和调整项目服务价格清单公示内容

序号	产品名称	检测依据	检测项目	计量单位	检测费用	收费依据
1	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	General requirements	项	1,000.00	皖质检（2020）40号
2	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Dimensions and tolerances	项	100.00	皖质检（2020）40号
3	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Glazing	项	100.00	皖质检（2020）40号
4	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Waste fitting openings, drainage, and overflows	项	100.00	皖质检（2020）40号
5	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Off-the-floor plumbing fixture supports	项	100.00	皖质检（2020）40号
6	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Non-vitreous china plumbing fixtures	项	100.00	皖质检（2020）40号
7	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Additional requirements for water closets	项	100.00	皖质检（2020）40号
8	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Additional requirements for urinals	项	100.00	皖质检（2020）40号
9	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Additional requirements for lavatories, sinks, and bidets	项	100.00	皖质检（2020）40号
10	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Additional requirements for bathtubs and shower bases	项	100.00	皖质检（2020）40号
11	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Additional requirements for drinking fountains	项	100.00	皖质检（2020）40号
12	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Accessible design fixtures	项	100.00	皖质检（2020）40号
13	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Flushing devices used with fixtures	项	300.00	皖质检（2020）40号
14	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Gravity flush tanks	项	100.00	皖质检（2020）40号
15	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Pressurized flushing devices	项	100.00	皖质检（2020）40号
16	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Plastic water closet tanks	项	100.00	皖质检（2020）40号
17	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Electrical components of electro-hydraulic water closets	项	100.00	皖质检（2020）40号
18	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Dual-flush water closets	项	100.00	皖质检（2020）40号
19	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Tests — Materials, finishes, structural integrity, and seals	项	1,000.00	皖质检（2020）40号
20	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Water absorption test	项	300.00	皖质检（2020）40号
21	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Crazing test	项	100.00	皖质检（2020）40号
22	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Surface examination	项	100.00	皖质检（2020）40号
23	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Warpage test	项	100.00	皖质检（2020）40号
24	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Field-installed tiling-flange seal test	项	100.00	皖质检（2020）40号
25	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Overflow test	项	100.00	皖质检（2020）40号
26	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Structural integrity tests for wall-mounted plumbing fixtures	项	100.00	皖质检（2020）40号
27	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Structural integrity test for bathtubs, shower bases, and non-vitreous service sinks	项	100.00	皖质检（2020）40号
28	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Joint seal test	项	100.00	皖质检（2020）40号
29	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Auger test	项	100.00	皖质检（2020）40号
30	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Condensation-free (insulated) tank test	项	100.00	皖质检（2020）40号
31	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Water closet tests	项	2,000.00	皖质检（2020）40号

32	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	General	项	100.00	皖质检（2020）40号
33	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Trap seal depth determination test	项	100.00	皖质检（2020）40号
34	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Trap seal restoration test	项	100.00	皖质检（2020）40号
35	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Water consumption test	项	200.00	皖质检（2020）40号
36	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Granule and ball test	项	200.00	皖质检（2020）40号
37	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Surface wash test	项	200.00	皖质检（2020）40号
38	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Mixed media test	项	300.00	皖质检（2020）40号
39	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Drain line transport characterization test	项	100.00	皖质检（2020）40号
40	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Overflow test for gravity flush tanks	项	100.00	皖质检（2020）40号
41	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Waste extraction test	项	100.00	皖质检（2020）40号
42	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Consistent water level test	项	100.00	皖质检（2020）40号
43	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Fill valve shutoff integrity test with increased water pressure	项	100.00	皖质检（2020）40号
44	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Adjustability test for tank-type gravity water closets with originalequipment	项	100.00	皖质检（2020）40号
45	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Adjustability test for tank-type gravity water closets withaftermarket closure seals	项	100.00	皖质检（2020）40号
46	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Urinal tests	项	2,000.00	皖质检（2020）40号
47	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Trap seal depth determination test	项	100.00	皖质检（2020）40号
48	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Surface wash test	项	100.00	皖质检（2020）40号
49	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Dye test	项	100.00	皖质检（2020）40号
50	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Water consumption test	项	100.00	皖质检（2020）40号
51	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Tests for non-water-consuming urinals	项	100.00	皖质检（2020）40号
52	Ceramic plumbing fixtures	ASME A112.19.2-2018/CSA B45.1-18	Markings, packaging, and installation instructions andother literature	项	100.00	皖质检（2020）40号
53	Urinals	AS/NZS 3982:1996	DESIGN	项	100.00	皖质检（2020）40号
54	Urinals	AS/NZS 3982:1996	General requirements	项	100.00	皖质检（2020）40号
55	Urinals	AS/NZS 3982:1996	Slab and wall-hung urinals	项	100.00	皖质检（2020）40号
56	Urinals	AS/NZS 3982:1996	Urinal stalls (single or adjoining)	项	100.00	皖质检（2020）40号
57	Urinals	AS/NZS 3982:1996	Wall-hung single stall urinals	项	100.00	皖质检（2020）40号
58	Urinals	AS/NZS 3982:1996	Pedestal urinals	项	100.00	皖质检（2020）40号
59	Urinals	AS/NZS 3982:1996	PERFORMANCE REQUIREMENTS	项	2,000.00	皖质检（2020）40号
60	Urinals	AS/NZS 3982:1996	Flushing test for slab and stall urinals	项	100.00	皖质检（2020）40号
61	Urinals	AS/NZS 3982:1996	Flushing test for single stall wall-hung urinals	项	100.00	皖质检（2020）40号
62	Urinals	AS/NZS 3982:1996	Strength test for wall-hung urinals	项	100.00	皖质检（2020）40号
63	Urinals	AS/NZS 3982:1996	Splash test for urinals	项	100.00	皖质检（2020）40号
64	Urinals	AS/NZS 3982:1996	INSTALLATION	项	100.00	皖质检（2020）40号
65	Urinals	AS/NZS 3982:1996	MARKING	项	100.00	皖质检（2020）40号
66	Urinals	AS/NZS 3982:1996	MATERIALS AND FINISH	项	100.00	皖质检（2020）40号
67	Urinals	AS/NZS 3982:1996	Material	项	100.00	皖质检（2020）40号
68	Urinals	AS/NZS 3982:1996	Thickness	项	100.00	皖质检（2020）40号

69	Urinals	AS/NZS 3982:1996	Surface finish	项	100.00	皖质检（2020）40号
70	Urinals	AS/NZS 3982:1996	MATERIALS AND FINISH	项	100.00	皖质检（2020）40号
71	Urinals	AS/NZS 3982:1996	Stainless steel	项	100.00	皖质检（2020）40号
72	Urinals	AS/NZS 3982:1996	Thickness	项	100.00	皖质检（2020）40号
73	Urinals	AS/NZS 3982:1996	Surface finish	项	100.00	皖质检（2020）40号
74	Urinals	AS/NZS 3982:1996	Construction	项	100.00	皖质检（2020）40号
75	Maximum Performance (MaP) Testing Toilet Fixture Performance Testing Protocol Version7 – January 2018	Maximum Performance (MaP) Testing Toilet Fixture Performance Testing Protocol Version 7 – January 2018	MaP Testing Protocol	项	1,000.00	皖质检（2020）40号
76	Maximum Performance (MaP) Testing Toilet Fixture Performance Testing Protocol Version7 – January 2018	PerforMaximum mance (MaP) Testing Toilet Fixture Performance Testing Protocol Version 7 – January 2018	MaP ‘PREMIUM’ Rating	项	1,000.00	皖质检（2020）40号
77	Maximum Performance (MaP) Testing Toilet Fixture Performance Testing Protocol Version7 – January 2018	Maximum Performance (MaP) Testing Toilet Fixture Performance Testing Protocol Version 7 – January 2018	General Requirements	项	1,000.00	皖质检（2020）40号
78	Maximum Performance (MaP) Testing Toilet Fixture Performance Testing Protocol Version7 – January 2018	Maximum Performance (MaP) Testing Toilet Fixture Performance Testing Protocol Version 7 – January 2018	Flush Volume Adjustability and Maximum Water Consumption Test	项	1,000.00	皖质检（2020）40号
79	Maximum Performance (MaP) Testing Toilet Fixture Performance Testing Protocol Version7 – January 2018	Maximum Performance (MaP) Testing Toilet Fixture Performance Testing Protocol Version 7 – January 2018	Fill Valve Integrity Test Protocol	项	1,000.00	皖质检（2020）40号
80	Washbasins	AS/NZS 1730:1996	DESIGN	项	100.00	皖质检（2020）40号
81	Washbasins	AS/NZS 1730:1996	Preferred dimensions	项	100.00	皖质检（2020）40号
82	Washbasins	AS/NZS 1730:1996	Corner radii	项	100.00	皖质检（2020）40号
83	Washbasins	AS/NZS 1730:1996	Flashings	项	100.00	皖质检（2020）40号
84	Washbasins	AS/NZS 1730:1996	Drainage	项	100.00	皖质检（2020）40号
85	Washbasins	AS/NZS 1730:1996	Integral water seal traps	项	100.00	皖质检（2020）40号
86	Washbasins	AS/NZS 1730:1996	Waste outlet	项	100.00	皖质检（2020）40号
87	Washbasins	AS/NZS 1730:1996	Support and rigidity	项	100.00	皖质检（2020）40号
88	Washbasins	AS/NZS 1730:1996	Tap and water supply outlet holes	项	100.00	皖质检（2020）40号
89	Washbasins	AS/NZS 1730:1996	STRENGTH AND SUPPORT TEST	项	100.00	皖质检（2020）40号
90	Washbasins	AS/NZS 1730:1996	INFORMATIVE LABELLING	项	100.00	皖质检（2020）40号
91	Washbasins	AS/NZS 1730:1996	MARKING	项	100.00	皖质检（2020）40号
92	Pedestal wash basins ——Connecting dimensions	BS EN 31:2011+A1:2014	Connecting dimensions	项	100.00	皖质检（2020）40号
93	Pedestal wash basins ——Connecting dimensions	BS EN 31:2011+A1:2014	Waste outlet hole	项	100.00	皖质检（2020）40号
94	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Materials	项	100.00	皖质检（2020）40号
95	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Design and manufacture	项	300.00	皖质检（2020）40号
96	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Composition of the inlet valve	项	100.00	皖质检（2020）40号
97	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Connection to the supply network	项	100.00	皖质检（2020）40号
98	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Adjustment of the water level	项	100.00	皖质检（2020）40号
99	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Dimensions of the threaded end connections	项	100.00	皖质检（2020）40号

100	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Mechanical and hydraulic characteristics	项	100.00	皖质检（2020）40号
101	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Threaded end connections	项	100.00	皖质检（2020）40号
102	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Backflow prevention	项	100.00	皖质检（2020）40号
103	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Leaktightness	项	300.00	皖质检（2020）40号
104	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Flowrate and filling time	项	300.00	皖质检（2020）40号
105	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Reopening of the inlet valve	项	300.00	皖质检（2020）40号
106	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Waterhammer	项	500.00	皖质检（2020）40号
107	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Resistance to pressure	项	500.00	皖质检（2020）40号
108	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Endurance	项	5,000.00	皖质检（2020）40号
109	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Acoustic characteristics	项	2,500.00	皖质检（2020）40号
110	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Marking	项	100.00	皖质检（2020）40号
111	Inlet valves for flushing cisterns with internal overflow	EN 14124-2004	Designation	项	100.00	皖质检（2020）40号
112	WaterSense® Specification for Showerheads	WaterSense® Specification for Showerheads	General Requirements	项	100.00	皖质检（2020）40号
113	WaterSense® Specification for Showerheads	WaterSense® Specification for Showerheads	Water-Efficiency Criteria	项	500.00	皖质检（2020）40号
114	WaterSense® Specification for Showerheads	WaterSense® Specification for Showerheads	Spray Force Criteria	项	500.00	皖质检（2020）40号
115	WaterSense® Specification for Showerheads	WaterSense® Specification for Showerheads	Spray Coverage Criteria	项	500.00	皖质检（2020）40号
116	WaterSense® Specification for Showerheads	WaterSense® Specification for Showerheads	Marking	项	100.00	皖质检（2020）40号
117	Sanitary tapware — Showerhoses for sanitary tapware forwater supply systems of type 1and type 2 — General technicalspecification	BS EN 1113:2015	Marking	项	100.00	皖质检（2020）40号
118	Sanitary tapware — Showerhoses for sanitary tapware forwater supply systems of type 1and type 2 — General technicalspecification	BS EN 1113:2015	Dimensional characteristics	项	300.00	皖质检（2020）40号
119	Sanitary tapware — Showerhoses for sanitary tapware forwater supply systems of type 1and type 2 — General technicalspecification	BS EN 1113:2015	Hydraulic characteristics	项	800.00	皖质检（2020）40号
120	Sanitary tapware — Showerhoses for sanitary tapware forwater supply systems of type 1and type 2 — General technicalspecification	BS EN 1113:2015	Mechanical and leaktightness characteristics	项	5,000.00	皖质检（2020）40号
121	Sanitary tapware — Showerhoses for sanitary tapware forwater supply systems of type 1and type 2 — General technicalspecification	BS EN 1113:2015	Rotary connection	项	1,000.00	皖质检（2020）40号
122	Sanitary tapware —General specificationfor electrodepositedcoatings of Ni-Cr	BS EN 248:2002	Exposed surfaces	项	1,000.00	皖质检（2020）40号

123	Sanitary tapware —General specificationfor electrodepositedcoatings of Ni-Cr	BS EN 248:2002	Quality of coating	项	1,000.00	皖质检（2020）40号
124	High-Efficiency Lavatory Faucet SpecificationSupporting Statement	High-Efficiency Lavatory Faucet SpecificationSupporting Statement	High-Efficiency Lavatory Faucet Specification	项	1,000.00	皖质检（2020）40号
125	Water efficient products—Rating andlabelling	AS/NZS 6400:2016	GENERAL REQUIREMENTS	项	1,000.00	皖质检（2020）40号
126	Water efficient products—Rating andlabelling	AS/NZS 6400:2016	SHOWERS	项	1,000.00	皖质检（2020）40号
127	Water efficient products—Rating andlabelling	AS/NZS 6400:2016	TAP EQUIPMENT	项	1,000.00	皖质检（2020）40号
128	Water efficient products—Rating andlabelling	AS/NZS 6400:2016	FLOW CONTROLLERS	项	1,000.00	皖质检（2020）40号
129	Water efficient products—Rating andlabelling	AS/NZS 6400:2016	LAVATORY EQUIPMENT	项	1,000.00	皖质检（2020）40号
130	Water efficient products—Rating andlabelling	AS/NZS 6400:2016	URINAL EQUIPMENT	项	1,000.00	皖质检（2020）40号
131	Drinking water system components —Health effects	NSF/ANSI/CAN 61-2020	General requirements	项	5,000.00	皖质检（2020）40号
132	Drinking water system components —Health effects	NSF/ANSI/CAN 61-2020	Pipes and related products	项	10,000.00	皖质检（2020）40号
133	Drinking water system components —Health effects	NSF/ANSI/CAN 61-2020	Barrier materials	项	10,000.00	皖质检（2020）40号
134	Drinking water system components —Health effects	NSF/ANSI/CAN 61-2020	Joining and sealing materials	项	10,000.00	皖质检（2020）40号
135	Drinking water system components —Health effects	NSF/ANSI/CAN 61-2020	Process media	项	10,000.00	皖质检（2020）40号
136	Drinking water system components —Health effects	NSF/ANSI/CAN 61-2020	Mechanical devices	项	10,000.00	皖质检（2020）40号
137	Drinking water system components —Health effects	NSF/ANSI/CAN 61-2020	Mechanical plumbing devices	项	10,000.00	皖质检（2020）40号
138	In-line ball valves for use in plumbing water supply systems Part 2: Plastics-bodied	AS 5830.2-2012	DESIGN	项	100.00	皖质检（2020）40号
139	In-line ball valves for use in plumbing water supply systems Part 2: Plastics-bodied	AS 5830.2-2012	Mechanical strength	项	500.00	皖质检（2020）40号
140	In-line ball valves for use in plumbing water supply systems Part 2: Plastics-bodied	AS 5830.2-2012	Leak-tightness and seat-tightness	项	800.00	皖质检（2020）40号
141	In-line ball valves for use in plumbing water supply systems Part 2: Plastics-bodied	AS 5830.2-2012	Endurance	项	3,000.00	皖质检（2020）40号
142	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	General requirements	项	100.00	皖质检（2020）40号
143	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	General	项	100.00	皖质检（2020）40号
144	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Waste fitting openings, drainage,and overflows	项	100.00	皖质检（2020）40号
145	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Opening and drainage	项	100.00	皖质检（2020）40号

146	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Overflows	项	100.00	皖质检（2020）40号
147	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Lavatories and sinks	项	100.00	皖质检（2020）40号
148	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Opening and mounting surfaces for supply fittings	项	100.00	皖质检（2020）40号
149	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Bathtubs and shower bases	项	100.00	皖质检（2020）40号
150	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Flanges	项	100.00	皖质检（2020）40号
151	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Slope to the waste outlet	项	100.00	皖质检（2020）40号
152	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Minimum dimensions for bathtubs	项	100.00	皖质检（2020）40号
153	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Shower base thresholds	项	100.00	皖质检（2020）40号
154	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Diameter, spacing, and grippable length of grab bars	项	100.00	皖质检（2020）40号
155	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Bathtubs with pressure sealed doors	项	100.00	皖质检（2020）40号
156	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Water closets	项	100.00	皖质检（2020）40号
157	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Urinals	项	100.00	皖质检（2020）40号
158	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Test requirements	项	100.00	皖质检（2020）40号
159	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Load and rotation tests for grab and grip rails	项	500.00	皖质检（2020）40号
160	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Warpage tolerance test	项	100.00	皖质检（2020）40号
161	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Surface examination test	项	100.00	皖质检（2020）40号
162	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Subsurface test	项	500.00	皖质检（2020）40号
163	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Waste fitting connection test	项	100.00	皖质检（2020）40号
164	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Point impact load test	项	500.00	皖质检（2020）40号

165	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Structural integrity test	项	500.00	皖质检（2020）40号
166	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Radii load test for water closets, urinal, bathtubs, and showers	项	500.00	皖质检（2020）40号
167	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Colourfastness test	项	1,000.00	皖质检（2020）40号
168	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Stain resistance test	项	1,000.00	皖质检（2020）40号
169	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Cleanability and wear test	项	1,000.00	皖质检（2020）40号
170	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Ignitability test	项	1,000.00	皖质检（2020）40号
171	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Cigarette test	项	1,000.00	皖质检（2020）40号
172	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Chemical resistance test	项	1,000.00	皖质检（2020）40号
173	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Thermal shock resistance test	项	2,000.00	皖质检（2020）40号
174	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Water resistance test for bathtubs and showers	项	100.00	皖质检（2020）40号
175	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Field -installed tiling-flange seal test	项	100.00	皖质检（2020）40号
176	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Overflow test	项	100.00	皖质检（2020）40号
177	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Knife drop test	项	100.00	皖质检（2020）40号
178	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Skillet drop test	项	100.00	皖质检（2020）40号
179	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Vibration test	项	100.00	皖质检（2020）40号
180	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Heated pan test	项	100.00	皖质检（2020）40号
181	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Hot wax test	项	100.00	皖质检（2020）40号
182	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Test for flexible core construction fixtures	项	100.00	皖质检（2020）40号
183	Plastic plumbing fixtures	CSA B45.5-2017/IAPMO Z124-2017	Markings	项	100.00	皖质检（2020）40号
184	Sanitary appliances —Wash basins — Functionalrequirements and test methods	BS EN 14688:2015+A1:2018/ EN 14688:2015+A1:2018	Load resistance	项	800.00	皖质检（2020）40号

185	Sanitary appliances —Wash basins — Functionalrequirements and test methods	BS EN 14688:2015+A1:2018/ EN 14688:2015+A1:2018	Draining of water	项	500.00	皖质检（2020）40号
186	Sanitary appliances —Wash basins — Functionalrequirements and test methods	BS EN 14688:2015+A1:2018/ EN 14688:2015+A1:2018	Resistance to temperature changes	项	5,000.00	皖质检（2020）40号
187	Sanitary appliances —Wash basins — Functionalrequirements and test methods	BS EN 14688:2015+A1:2018/ EN 14688:2015+A1:2018	Resistance to chemicals and staining agents	项	3,500.00	皖质检（2020）40号
188	Sanitary appliances —Wash basins — Functionalrequirements and test methods	BS EN 14688:2015+A1:2018/ EN 14688:2015+A1:2018	Surface stability	项	2,000.00	皖质检（2020）40号
189	Sanitary appliances —Wash basins — Functionalrequirements and test methods	BS EN 14688:2015+A1:2018/ EN 14688:2015+A1:2018	Cleanability	项	200.00	皖质检（2020）40号
190	Sanitary appliances —Wash basins — Functionalrequirements and test methods	BS EN 14688:2015+A1:2018/ EN 14688:2015+A1:2018	Wash basins with overflow	项	800.00	皖质检（2020）40号
191	Sanitary appliances —Wash basins — Functionalrequirements and test methods	BS EN 14688:2015+A1:2018/ EN 14688:2015+A1:2018	Wash basins without overflow	项	800.00	皖质检（2020）40号
192	Sanitary appliances —Wash basins — Functionalrequirements and test methods	BS EN 14688:2015+A1:2018/ EN 14688:2015+A1:2018	Durability	项	200.00	皖质检（2020）40号
193	Sanitary appliances —Wash basins — Functionalrequirements and test methods	BS EN 14688:2015+A1:2018/ EN 14688:2015+A1:2018	Marking and product designation	项	300.00	皖质检（2020）40号
194	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Design	项	300.00	皖质检（2020）40号
195	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Flushing cistern equipment	项	100.00	皖质检（2020）40号
196	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Water supply connection	项	100.00	皖质检（2020）40号
197	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Supply piping	项	100.00	皖质检（2020）40号
198	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Removable parts	项	100.00	皖质检（2020）40号
199	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Connecting dimensions	项	100.00	皖质检（2020）40号
200	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Flush pipes	项	100.00	皖质检（2020）40号
201	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Hydraulic and mechanical characteristics	项	5,000.00	皖质检（2020）40号
202	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Flush volume	项	500.00	皖质检（2020）40号
203	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Water-saving devices	项	100.00	皖质检（2020）40号
204	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Flush rate and impact force	项	800.00	皖质检（2020）40号
205	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Overflow	项	300.00	皖质检（2020）40号
206	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Inlet valve opening characteristics for water saving flushing	项	100.00	皖质检（2020）40号
207	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Safety margin – Dimension “c”	项	100.00	皖质检（2020）40号
208	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Backflow prevention, air gap, safety margin – Dimension “a”	项	100.00	皖质检（2020）40号
209	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Outlet valve leaktightness	项	500.00	皖质检（2020）40号

210	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Outlet valve reliability	项	3,500.00	皖质检（2020）40号
211	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Operating force	项	300.00	皖质检（2020）40号
212	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Durability	项	100.00	皖质检（2020）40号
213	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Functional requirements and test methods for class 2 products	项	5,000.00	皖质检（2020）40号
214	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Inlet valve	项	5,000.00	皖质检（2020）40号
215	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Backflow prevention	项	800.00	皖质检（2020）40号
216	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Marking of flushing cistern	项	100.00	皖质检（2020）40号
217	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Warning pipe and overflow provision	项	300.00	皖质检（2020）40号
218	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Flush volume	项	300.00	皖质检（2020）40号
219	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Flush rate	项	500.00	皖质检（2020）40号
220	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Physical endurance and leakage of flushing device	项	5,000.00	皖质检（2020）40号
221	WC and urinal flushing cisterns	BS EN 14055:2018 /EN 14055:2018	Chemical endurance of flushing device	项	5,000.00	皖质检（2020）40号
222	Kitchen sinks — Functionalrequirements and test methods	BS EN 13310:2015+A1:2018 /EN 13310:2015+A1:2018	Requirements	项	100.00	皖质检（2020）40号
223	Kitchen sinks — Functionalrequirements and test methods	BS EN 13310:2015+A1:2018 /EN 13310:2015+A1:2018	Connecting dimensions	项	100.00	皖质检（2020）40号
224	Kitchen sinks — Functionalrequirements and test methods	BS EN 13310:2015+A1:2018 /EN 13310:2015+A1:2018	Draining of water	项	100.00	皖质检（2020）40号
225	Kitchen sinks — Functionalrequirements and test methods	BS EN 13310:2015+A1:2018 /EN 13310:2015+A1:2018	Resistance to dry heat	项	100.00	皖质检（2020）40号
226	Kitchen sinks — Functionalrequirements and test methods	BS EN 13310:2015+A1:2018 /EN 13310:2015+A1:2018	Resistance to temperature changes	项	1,500.00	皖质检（2020）40号
227	Kitchen sinks — Functionalrequirements and test methods	BS EN 13310:2015+A1:2018 /EN 13310:2015+A1:2018	Resistance against chemicals and staining agents	项	1,000.00	皖质检（2020）40号
228	Kitchen sinks — Functionalrequirements and test methods	BS EN 13310:2015+A1:2018 /EN 13310:2015+A1:2018	Surface stability	项	100.00	皖质检（2020）40号
229	Kitchen sinks — Functionalrequirements and test methods	BS EN 13310:2015+A1:2018 /EN 13310:2015+A1:2018	Load stability	项	500.00	皖质检（2020）40号
230	Kitchen sinks — Functionalrequirements and test methods	BS EN 13310:2015+A1:2018 /EN 13310:2015+A1:2018	Flow rate of the overflow	项	300.00	皖质检（2020）40号

231	Kitchen sinks — Functionalrequirements and test methods	BS EN 13310:2015+A1:2018 /EN 13310:2015+A1:2018	Durability	项	100.00	皖质检（2020）40号
232	Kitchen sinks — Functionalrequirements and test methods	BS EN 13310:2015+A1:2018 /EN 13310:2015+A1:2018	Marking	项	100.00	皖质检（2020）40号
233	Standard Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications	ASTM A888-2018a	Chemical Test for Gray Iron	项	500.00	皖质检（2020）40号
234	Standard Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications	ASTM A888-2018a	Dimensions and Permissible Variations	项	300.00	皖质检（2020）40号
235	Standard Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications	ASTM A888-2018a	Methods of Specifying Fittings	项	100.00	皖质检（2020）40号
236	Standard Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications	ASTM A888-2018a	Coating	项	1,000.00	皖质检（2020）40号
237	Standard Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications	ASTM A888-2018a	Tensile Strength Test	项	500.00	皖质检（2020）40号
238	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	General requirements and testing	项	100.00	皖质检（2020）40号
239	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Marking	项	100.00	皖质检（2020）40号
240	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Materials	项	500.00	皖质检（2020）40号
241	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Chemical and hygienic requirements	项	500.00	皖质检（2020）40号
242	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Exposed surface conditions	项	2000 (EN248)	皖质检（2020）40号
243	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Functions	项	100.00	皖质检（2020）40号
244	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Marking	项	100.00	皖质检（2020）40号
245	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Operational safety	项	300.00	皖质检（2020）40号
246	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Leaktightness characteristics	项	300.00	皖质检（2020）40号
247	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Leaktightness of tapware upstream of the obturator	项	300.00	皖质检（2020）40号

248	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Leaktightness of tapware downstream of the obturator with the obturator open	项	300.00	皖质检（2020）40号
249	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Pressure resistance characteristics - mechanical performance under pressure	项	300.00	皖质检（2020）40号
250	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Requirements and testing for tapware	项	500.00	皖质检（2020）40号
251	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Dimensional characteristics	项	500.00	皖质检（2020）40号
252	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Hydraulic characteristics	项	800.00	皖质检（2020）40号
253	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Cross flow between hot and cold water	项	800.00	皖质检（2020）40号
254	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Water hammer	项	800.00	皖质检（2020）40号
255	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Endurance	项	5,000.00	皖质检（2020）40号
256	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Acoustic characteristics	项	2,500.00	皖质检（2020）40号
257	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Requirements and testing for flushing valves for urinals	项	500.00	皖质检（2020）40号
258	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Classification of flushing urinal valves	项	100.00	皖质检（2020）40号
259	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Designation	项	100.00	皖质检（2020）40号
260	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Dimensional characteristics	项	100.00	皖质检（2020）40号
261	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Hydraulic characteristics	项	800.00	皖质检（2020）40号
262	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Measurement of water hammer for urinal flushing valves	项	800.00	皖质检（2020）40号
263	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Mechanical endurance	项	5,000.00	皖质检（2020）40号
264	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Dimensional characteristics	项	100.00	皖质检（2020）40号
265	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Hydraulic characteristics	项	800.00	皖质检（2020）40号
266	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Testing of the flow rate / Impact force at lower dynamic pressure	项	800.00	皖质检（2020）40号

267	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Testing of the flow rate / Volume at lower dynamic pressure	项	800.00	皖质检（2020）40号
268	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Testing of flush flow rate / impact force at upper dynamic pressure	项	800.00	皖质检（2020）40号
269	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Measurement of water hammer	项	800.00	皖质检（2020）40号
270	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Mechanical endurance	项	5,000.00	皖质检（2020）40号
271	Sanitary tapware — Electronic opening and closing sanitary tapware	BS EN 15091:2013	Acoustic characteristics	项	2,500.00	皖质检（2020）40号
272	Personal hygiene devices for water closets	ASME A112.4.2-2015/CSA B45.16-15:2015(2020)	Bidet sprayers	项	100.00	皖质检（2020）40号
273	Personal hygiene devices for water closets	ASME A112.4.2-2015/CSA B45.16-15:2015(2020)	Source of water	项	100.00	皖质检（2020）40号
274	Personal hygiene devices for water closets	ASME A112.4.2-2015/CSA B45.16-15:2015(2020)	Temperature safety device	项	300.00	皖质检（2020）40号
275	Personal hygiene devices for water closets	ASME A112.4.2-2015/CSA B45.16-15:2015(2020)	Flowing pressure test	项	300.00	皖质检（2020）40号
276	Personal hygiene devices for water closets	ASME A112.4.2-2015/CSA B45.16-15:2015(2020)	Static pressure test	项	300.00	皖质检（2020）40号
277	Personal hygiene devices for water closets	ASME A112.4.2-2015/CSA B45.16-15:2015(2020)	Normal operating temperature test	项	300.00	皖质检（2020）40号
278	Personal hygiene devices for water closets	ASME A112.4.2-2015/CSA B45.16-15:2015(2020)	Maximum shutoff temperature for safety devices	项	300.00	皖质检（2020）40号
279	Personal hygiene devices for water closets	ASME A112.4.2-2015/CSA B45.16-15:2015(2020)	Bidet sprayer life cycle test	项	3,000.00	皖质检（2020）40号
280	Personal hygiene devices for water closets	ASME A112.4.2-2015/CSA B45.16-15:2015(2020)	Atmospheric vacuum breaker test	项	3,000.00	皖质检（2020）40号
281	Personal hygiene devices for water closets	ASME A112.4.2-2015/CSA B45.16-15:2015(2020)	Seat cover dispenser test	项	1,500.00	皖质检（2020）40号
282	Personal hygiene devices for water closets	ASME A112.4.2-2015/CSA B45.16-15:2015(2020)	Bidet sprayer self-cleaning test	项	300.00	皖质检（2020）40号
283	Personal hygiene devices for water closets	ASME A112.4.2-2015/CSA B45.16-15:2015(2020)	Markings and packaging	项	100.00	皖质检（2020）40号
284	APPLIANCE EFFICIENCY RULEMAKING FOR TOILETS,URINALS, AND FAUCETS	CEC-400-2015-015	Plumbing Fixtures	项	1,000.00	皖质检（2020）40号
285	APPLIANCE EFFICIENCY RULEMAKING FOR TOILETS,URINALS, AND FAUCETS	CEC-400-2015-015	Federal and State Standards for Federally-Regulated Appliances	项	1,000.00	皖质检（2020）40号
286	APPLIANCE EFFICIENCY RULEMAKING FOR TOILETS,URINALS, AND FAUCETS	CEC-400-2015-015	Plumbing Fittings	项	1,000.00	皖质检（2020）40号
287	APPLIANCE EFFICIENCY RULEMAKING FOR TOILETS,URINALS, AND FAUCETS	CEC-400-2015-015	Showerheads, Metering Faucets, and Wash Fountains	项	1,000.00	皖质检（2020）40号

严禁复制

288	APPLIANCE EFFICIENCY RULEMAKING FOR TOILETS,URINALS, AND FAUCETS	CEC-400-2015-015	Lavatory faucets, kitchen faucets, aerators, and public lavatory faucets	项	1,000.00	皖质检（2020）40号
289	APPLIANCE EFFICIENCY RULEMAKING FOR TOILETS,URINALS, AND FAUCETS	CEC-400-2015-015	Plumbing Fixtures	项	1,000.00	皖质检（2020）40号
290	APPLIANCE EFFICIENCY RULEMAKING FOR TOILETS,URINALS, AND FAUCETS	CEC-400-2015-015	State Standards for Non-Federally-RegulatedAppliances	项	1,000.00	皖质检（2020）40号
291	APPLIANCE EFFICIENCY RULEMAKING FOR TOILETS,URINALS, AND FAUCETS	CEC-400-2015-015	Plumbing Fittings	项	1,000.00	皖质检（2020）40号
292	APPLIANCE EFFICIENCY RULEMAKING FOR TOILETS,URINALS, AND FAUCETS	CEC-400-2015-015	Tub Spout Diverters and Showerhead Tub Spout Diverter Combinations	项	1,000.00	皖质检（2020）40号
293	APPLIANCE EFFICIENCY RULEMAKING FOR TOILETS,URINALS, AND FAUCETS	CEC-400-2015-015	Faucets and Aerators	项	1,000.00	皖质检（2020）40号
294	APPLIANCE EFFICIENCY RULEMAKING FOR TOILETS,URINALS, AND FAUCETS	CEC-400-2015-015	Plumbing Fixtures	项	1,000.00	皖质检（2020）40号
295	High-Efficiency Lavatory Faucet Specification	EPA WaterSense High	Water Efficiency and Performance Criteria	项	1,000.00	皖质检（2020）40号
296	High-Efficiency Lavatory Faucet Specification	EPA WaterSense High	Non-Adjustanility Criteria	项	1,000.00	皖质检（2020）40号
297	High-Efficiency Lavatory Faucet Specification	EPA WaterSense High	Flow Rate Marking	项	1,000.00	皖质检（2020）40号
298	Water supply — Tap ware	AS 3718:2021	Plastic materials used for plastic-bodied taps	项	200.00	皖质检（2020）40号
299	Water supply — Tap ware	AS 3718:2021	Hydraulic strength test	项	200.00	皖质检（2020）40号
300	Water supply — Tap ware	AS 3718:2021	Surface-mounting strength test for taps	项	200.00	皖质检（2020）40号
301	Water supply — Tap ware	AS 3718:2021	Watertightness under pressure	项	200.00	皖质检（2020）40号
302	Water supply — Tap ware	AS 3718:2021	Nominal flow rate	项	300.00	皖质检（2020）40号
303	Water supply — Tap ware	AS 3718:2021	Torque of fabricated joints	项	200.00	皖质检（2020）40号
304	Water supply — Tap ware	AS 3718:2021	Torque of head to body	项	200.00	皖质检（2020）40号
305	Water supply — Tap ware	AS 3718:2021	Torque of operating mechanism	项	200.00	皖质检（2020）40号
306	Water supply — Tap ware	AS 3718:2021	Endurance test for taps and tap components	项	3,000.00	皖质检（2020）40号
307	Water supply — Tap ware	AS 3718:2021	Single taps(50,000 ± 500)	项	1,000.00	皖质检（2020）40号
308	Water supply — Tap ware	AS 3718:2021	Combination taps(50,000 ± 500)	项	1,000.00	皖质检（2020）40号
309	Water supply — Tap ware	AS 3718:2021	Mechanical mixing taps(70,000 ± 700)	项	3,000.00	皖质检（2020）40号
310	Water supply — Tap ware	AS 3718:2021	Automatic shut-off taps — single(200,000 ± 2000)	项	5,000.00	皖质检（2020）40号
311	Water supply — Tap ware	AS 3718:2021	Automatic shut-off taps — mixing(100,000 ± 1000)	项	5,000.00	皖质检（2020）40号
312	Water supply — Tap ware	AS 3718:2021	Electronic opening and closing taps(200,000 ± 2000)	项	5,000.00	皖质检（2020）40号
313	Water supply — Tap ware	AS 3718:2021	Isolation or drain taps(10,000 ± 100)	项	1,000.00	皖质检（2020）40号
314	Water supply — Tap ware	AS 3718:2021	Jumper valves(25,000 ± 250)	项	1,000.00	皖质检（2020）40号
315	Water supply — Tap ware	AS 3718:2021	Strength of connector nut and assembly	项	200.00	皖质检（2020）40号
316	Water supply — Tap ware	AS 3718:2021	Strength of button-operated and foot-operated taps	项	200.00	皖质检（2020）40号
317	Water supply — Tap ware	AS 3718:2021	Resistance of handle to removal	项	200.00	皖质检（2020）40号
318	Water supply — Tap ware	AS 3718:2021	Power failure for electronically controlled taps	项	200.00	皖质检（2020）40号
319	Water supply — Tap ware	AS 3718:2021	Rotating or swivel outlet	项	200.00	皖质检（2020）40号

320	Water efficient products—Rating andLabelling	AS/NZS 6400:2016+Amd 1:2022	GENERAL REQUIREMENTS	项	1,000.00	皖质检（2020）40号
321	Water efficient products—Rating andLabelling	AS/NZS 6400:2016+Amd 1:2022	SHOWERS	项	1,000.00	皖质检（2020）40号
322	Water efficient products—Rating andLabelling	AS/NZS 6400:2016+Amd 1:2022	TAP EQUIPMENT	项	1,000.00	皖质检（2020）40号
323	Water efficient products—Rating andLabelling	AS/NZS 6400:2016+Amd 1:2022	FLOW CONTROLLERS	项	1,000.00	皖质检（2020）40号
324	Water efficient products—Rating andLabelling	AS/NZS 6400:2016+Amd 1:2022	LAVATORY EQUIPMENT	项	1,000.00	皖质检（2020）40号
325	Water efficient products—Rating andLabelling	AS/NZS 6400:2016+Amd 1:2022	URINAL EQUIPMENT	项	1,000.00	皖质检（2020）40号
326	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	MATERIALS	项	500.00	皖质检（2020）40号
327	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	MARKING	项	100.00	皖质检（2020）40号
328	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	DESIGN	项	100.00	皖质检（2020）40号
329	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	Designation of size	项	100.00	皖质检（2020）40号
330	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	Waterway	项	200.00	皖质检（2020）40号
331	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	Grating	项	100.00	皖质检（2020）40号
332	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	Waste outlet bodies	项	300.00	皖质检（2020）40号
333	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	Connection ends	项	300.00	皖质检（2020）40号
334	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	Freedom from defects	项	100.00	皖质检（2020）40号
335	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	Load test	项	500.00	皖质检（2020）40号
336	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	Plastics thread tightening torque test	项	300.00	皖质检（2020）40号
337	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	Thermal cycling test	项	2,000.00	皖质检（2020）40号
338	Waste pipe connection outlets and gratings, separate or integral	WMTS-040:2022	Seal test	项	600.00	皖质检（2020）40号
339	Polyethylene (Pe) Pipes	AS/NZS 4130:2018+Amd 1:2021	Resistance to internal pressure PE80B, 4.5MPa; PE100, 5.4MPa——165h	项	2,000.00	皖质检（2020）40号
340	Polyethylene (Pe) Pipes	AS/NZS 4130:2018+Amd 1:2021	Resistance to internal pressure PE80B, 4.0MPa; PE100, 5.0MPa——1000h	项	12,000.00	皖质检（2020）40号
341	Multilayer pipes	AS 4176.8-2010	Tensile load 1h	项	800.00	皖质检（2020）40号
342	Multilayer pipes	AS 4176.8-2010	Tensile load 800 h	项	16,000.00	皖质检（2020）40号
343	Multilayer pipes	AS 4176.8-2010	Long termpressure strength-22h	项	800.00	皖质检（2020）40号
344	Multilayer pipes	AS 4176.8-2010	Long termpressure strength-165h	项	2,000.00	皖质检（2020）40号
345	Multilayer pipes	AS 4176.8-2010	Long termpressure strength-1000h	项	12,000.00	皖质检（2020）40号
346	Fittings	AS 4176.3-2010	Mechanical characteristics of plastics fittings (internal pressure test)-1h	项	800.00	皖质检（2020）40号

347	Fittings	AS 4176.3-2010	Mechanical characteristics of plastics fittings (internal pressure test)-1000h	项	12,000.00	皖质检（2020）40号
348	卫生洁具便器用压力冲水装置	GB/T26750-2011	操作力	项	85.00	皖质检（2020）40号
349	卫生洁具便器用压力冲水装置	GB/T26750-2011	供水连接	项	200.00	皖质检（2020）40号
350	卫生洁具便器用压力冲水装置	GB/T26750-2011	补水装置	项	180.00	皖质检（2020）40号
351	卫生洁具便器用压力冲水装置	GB/T26750-2011	操作方式	项	85.00	皖质检（2020）40号
352	卫生洁具便器用压力冲水装置	GB/T26750-2011	进水流量	项	180.00	皖质检（2020）40号
353	卫生洁具便器用压力冲水装置	GB/T26750-2011	进水稳定性	项	290.00	皖质检（2020）40号
354	卫生洁具便器用压力冲水装置	GB/T26750-2011	耐压性能	项	180.00	皖质检（2020）40号
355	卫生洁具便器用压力冲水装置	GB/T26750-2011	抗冷热老化试验	项	730.00	皖质检（2020）40号
356	卫生洁具便器用压力冲水装置	GB/T26750-2011	抗蠕变性能	项	1,083.00	皖质检（2020）40号
357	卫生洁具便器用压力冲水装置	GB/T26750-2011	抗进水失效	项	180.00	皖质检（2020）40号
358	卫生洁具便器用压力冲水装置	GB/T26750-2011	溢流性能	项	180.00	皖质检（2020）40号
359	卫生洁具便器用压力冲水装置	GB/T26750-2011	排水压力	项	180.00	皖质检（2020）40号
360	卫生洁具便器用压力冲水装置	GB/T26750-2011	防触电保护	项	240.00	皖质检（2020）40号
361	卫生洁具便器用压力冲水装置	GB/T26750-2011	控制距离误差	项	240.00	皖质检（2020）40号
362	卫生洁具便器用压力冲水装置	GB/T26750-2011	整机能耗	项	240.00	皖质检（2020）40号
363	卫生洁具便器用压力冲水装置	GB/T26750-2011	电源适应性	项	100.00	皖质检（2020）40号
364	卫生洁具便器用压力冲水装置	GB/T26750-2011	断电保护	项	100.00	皖质检（2020）40号
365	卫生洁具便器用压力冲水装置	GB/T26750-2011	抗干扰性能	项	260.00	皖质检（2020）40号
366	卫生洁具便器用压力冲水装置	GB/T26750-2011	温度试验	项	515.00	皖质检（2020）40号
367	卫生洁具便器用压力冲水装置	GB/T26750-2011	潮湿试验	项	369.00	皖质检（2020）40号
368	卫生洁具便器用压力冲水装置	GB/T26750-2011	电池盒性能	项	300.00	皖质检（2020）40号
369	卫生洁具便器用压力冲水装置	GB/T26750-2011	寿命试验	项	1,000.00	皖质检（2020）40号
370	坐便器座圈和盖	JC/T764-2008	冷热疲劳	项	730.00	皖质检（2020）40号
371	喷水按摩浴缸	QB/T 2585-2007	外观	项	90.00	皖质检（2020）40号
372	喷水按摩浴缸	QB/T 2585-2007	金属配件表面处理	项	300.00	皖质检（2020）40号
373	喷水按摩浴缸	QB/T 2585-2007	水流喷射水平距离	项	189.00	皖质检（2020）40号
374	喷水按摩浴缸	QB/T 2585-2007	密封性	项	735.00	皖质检（2020）40号
375	喷水按摩浴缸	QB/T 2585-2007	滞留水	项	553.00	皖质检（2020）40号
376	喷水按摩浴缸	QB/T 2585-2007	电气安全	项	549.00	皖质检（2020）40号
377	喷水按摩浴缸	QB/T 2585-2007	噪音	项	1,011.00	皖质检（2020）40号
378	喷水按摩浴缸	QB/T 2585-2007	隔臭水封	项	90.00	皖质检（2020）40号
379	电坐便器喷淋用加热组件	QB/T5492-2021	出水温度稳定性	项	355.00	皖质检（2020）40号
380	电坐便器喷淋用加热组件	QB/T5492-2021	最大出水流量	项	355.00	皖质检（2020）40号
381	电坐便器喷淋用加热组件	QB/T5492-2021	出水连续性	项	355.00	皖质检（2020）40号
382	电坐便器喷淋用加热组件	QB/T5492-2021	最大输入功率	项	355.00	皖质检（2020）40号
383	电坐便器喷淋用加热组件	QB/T5492-2021	出水温度响应性	项	355.00	皖质检（2020）40号
384	电坐便器喷淋用加热组件	QB/T5492-2021	出水温度调节响应	项	510.00	皖质检（2020）40号
385	电坐便器喷淋用加热组件	QB/T5492-2021	耐水压	项	355.00	皖质检（2020）40号
386	电坐便器喷淋用加热组件	QB/T5492-2021	低温试验	项	345.00	皖质检（2020）40号
387	电坐便器喷淋用加热组件	QB/T5492-2021	高低温循环试验	项	586.00	皖质检（2020）40号
388	电坐便器喷淋用加热组件	QB/T5492-2021	高温高湿试验	项	400.00	皖质检（2020）40号
389	电坐便器喷淋用加热组件	QB/T5492-2021	耐腐蚀	项	300.00	皖质检（2020）40号
390	电坐便器喷淋用加热组件	QB/T5492-2021	耐久性	项	1,600.00	皖质检（2020）40号
391	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	外观	项	90.00	皖质检（2020）40号
392	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	流量	项	350.00	皖质检（2020）40号
393	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	启闭性	项	350.00	皖质检（2020）40号
394	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	耐水压	项	350.00	皖质检（2020）40号
395	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	防虹吸	项	350.00	皖质检（2020）40号

396	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	防水击	项	350.00	皖质检（2020）40号
397	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	高温贮存	项	335.00	皖质检（2020）40号
398	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	低温贮存	项	345.00	皖质检（2020）40号
399	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	高低温冲击循环	项	586.00	皖质检（2020）40号
400	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	噪声	项	270.00	皖质检（2020）40号
401	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	恒定湿热	项	400.00	皖质检（2020）40号
402	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	耐久性	项	1,600.00	皖质检（2020）40号
403	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	防锈	项	300.00	皖质检（2020）40号
404	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	耐冻结	项	345.00	皖质检（2020）40号
405	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	振动	项	315.00	皖质检（2020）40号
406	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	阀体接口强度	项	80.00	皖质检（2020）40号
407	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	螺纹强度	项	100.00	皖质检（2020）40号
408	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	端子或接线强度	项	100.00	皖质检（2020）40号
409	无水箱家用和类似用途电坐便器用冲洗电磁阀	QB/T 5735-2022	跌落	项	214.00	皖质检（2020）40号
410	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	外观	项	90.00	皖质检（2020）40号
411	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	流量	项	350.00	皖质检（2020）40号
412	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	启闭性	项	350.00	皖质检（2020）40号
413	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	耐水压	项	350.00	皖质检（2020）40号
414	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	出水压力	项	350.00	皖质检（2020）40号
415	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	防水击	项	350.00	皖质检（2020）40号
416	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	高温贮存	项	335.00	皖质检（2020）40号
417	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	低温贮存	项	345.00	皖质检（2020）40号
418	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	高低温冲击循环	项	586.00	皖质检（2020）40号
419	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	噪声	项	270.00	皖质检（2020）40号
420	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	恒定湿热	项	400.00	皖质检（2020）40号
421	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	耐久性	项	1,600.00	皖质检（2020）40号
422	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	防锈	项	300.00	皖质检（2020）40号
423	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	连续通电	项	350.00	皖质检（2020）40号
424	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	耐冻结	项	345.00	皖质检（2020）40号
425	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	振动	项	315.00	皖质检（2020）40号
426	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	阀体接口强度	项	80.00	皖质检（2020）40号
427	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	螺纹强度	项	100.00	皖质检（2020）40号
428	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	端子或接线强度	项	100.00	皖质检（2020）40号
429	家用和类似用途电坐便器用喷淋电磁阀	QB/T 5734-2022	跌落	项	214.00	皖质检（2020）40号
430	法兰连接铁制闸阀	GB/T 12232-2005	阀体	项	100.00	皖质检（2020）40号
431	法兰连接铁制闸阀	GB/T 12232-2005	阀盖	项	100.00	皖质检（2020）40号
432	法兰连接铁制闸阀	GB/T 12232-2005	闸板	项	100.00	皖质检（2020）40号

433	法兰连接铁制闸阀	GB/T 12232-2005	阀体、阀盖和闸板	项	100.00	皖质检（2020）40号
434	法兰连接铁制闸阀	GB/T 12232-2005	阀杆和阀杆螺母	项	100.00	皖质检（2020）40号
435	法兰连接铁制闸阀	GB/T 12232-2005	填料、填料垫和“O”形密封圈	项	100.00	皖质检（2020）40号
436	法兰连接铁制闸阀	GB/T 12232-2005	填料压盖	项	100.00	皖质检（2020）40号
437	法兰连接铁制闸阀	GB/T 12232-2005	支架	项	100.00	皖质检（2020）40号
438	法兰连接铁制闸阀	GB/T 12232-2005	手轮	项	100.00	皖质检（2020）40号
439	法兰连接铁制闸阀	GB/T 12232-2005	指示器	项	50.00	皖质检（2020）40号
440	法兰连接铁制闸阀	GB/T 12232-2005	内腔清洁度	项	360.00	皖质检（2020）40号
441	法兰连接铁制闸阀	GB/T 12232-2005	壳体和密封试验	项	1,600.00	皖质检（2020）40号
442	法兰连接铁制闸阀	GB/T 12232-2005	其他	项	3,000.00	皖质检（2020）40号
443	法兰连接铁制闸阀	GB/T 12232-2005	材料	项	1,000.00	皖质检（2020）40号
444	法兰和对夹连接弹性密封蝶阀	GB/T 12238-2008	参数	项	100.00	皖质检（2020）40号
445	法兰和对夹连接弹性密封蝶阀	GB/T 12238-2008	卫生要求	项	3,000.00	皖质检（2020）40号
446	法兰和对夹连接弹性密封蝶阀	GB/T 12238-2008	蝶阀的使用	项	100.00	皖质检（2020）40号
447	法兰和对夹连接弹性密封蝶阀	GB/T 12238-2008	阀体	项	240.00	皖质检（2020）40号
448	法兰和对夹连接弹性密封蝶阀	GB/T 12238-2008	蝶板	项	550.00	皖质检（2020）40号
449	法兰和对夹连接弹性密封蝶阀	GB/T 12238-2008	阀杆	项	550.00	皖质检（2020）40号
450	法兰和对夹连接弹性密封蝶阀	GB/T 12238-2008	阀杆轴承	项	100.00	皖质检（2020）40号
451	法兰和对夹连接弹性密封蝶阀	GB/T 12238-2008	阀杆密封	项	100.00	皖质检（2020）40号
452	法兰和对夹连接弹性密封蝶阀	GB/T 12238-2008	操作机构	项	200.00	皖质检（2020）40号
453	法兰和对夹连接弹性密封蝶阀	GB/T 12238-2008	材料	项	1,000.00	皖质检（2020）40号
454	石油、石化及相关工业用钢制截止阀和升降式止回阀	GB/T 12235-2007	壳体试验	项	500.00	皖质检（2020）40号
455	石油、石化及相关工业用钢制截止阀和升降式止回阀	GB/T 12235-2007	上密封试验	项	550.00	皖质检（2020）40号
456	石油、石化及相关工业用钢制截止阀和升降式止回阀	GB/T 12235-2007	密封试验	项	550.00	皖质检（2020）40号
457	石油、石化及相关工业用钢制截止阀和升降式止回阀	GB/T 12235-2007	材质成分分析	项	800.00	皖质检（2020）40号
458	石油、石化及相关工业用钢制截止阀和升降式止回阀	GB/T 12235-2007	阀体材质力学性能	项	1,000.00	皖质检（2020）40号
459	石油、石化及相关工业用钢制截止阀和升降式止回阀	GB/T 12235-2007	无损检测	项	1,000.00	皖质检（2020）40号
460	石油、石化及相关工业用钢制截止阀和升降式止回阀	GB/T 12235-2007	阀体标志检查	项	50.00	皖质检（2020）40号
461	石油、石化及相关工业用钢制截止阀和升降式止回阀	GB/T 12235-2007	铭牌内容检查	项	50.00	皖质检（2020）40号
462	石油和天然气工业用钢制闸阀、截止阀和止回阀（≤DN100）	GB/T 28776-2012	阀门外观质量检查	项	100.00	皖质检（2020）40号
463	石油和天然气工业用钢制闸阀、截止阀和止回阀（≤DN101）	GB/T 28776-2012	壳体试验	项	500.00	皖质检（2020）40号
464	石油和天然气工业用钢制闸阀、截止阀和止回阀（≤DN102）	GB/T 28776-2012	高压密封试验	项	550.00	皖质检（2020）40号
465	石油和天然气工业用钢制闸阀、截止阀和止回阀（≤DN103）	GB/T 28776-2012	低压密封试验	项	550.00	皖质检（2020）40号
466	石油和天然气工业用钢制闸阀、截止阀和止回阀（≤DN104）	GB/T 28776-2012	上密封试验	项	550.00	皖质检（2020）40号
467	石油和天然气工业用钢制闸阀、截止阀和止回阀（≤DN105）	GB/T 28776-2012	阀体、阀盖最小壁厚	项	100.00	皖质检（2020）40号
468	石油和天然气工业用钢制闸阀、截止阀和止回阀（≤DN106）	GB/T 28776-2012	阀杆直径	项	100.00	皖质检（2020）40号
469	石油和天然气工业用钢制闸阀、截止阀和止回阀（≤DN107）	GB/T 28776-2012	承压件材料	项	200.00	皖质检（2020）40号
470	石油和天然气工业用钢制闸阀、截止阀和止回阀（≤DN108）	GB/T 28776-2012	标志	项	50.00	皖质检（2020）40号
471	小便冲洗阀	QB 2948-2008	尺寸与装配	项	100.00	皖质检（2020）40号
472	小便冲洗阀	QB 2948-2008	节水-冲洗性能和流量	项	180.00	皖质检（2020）40号
473	小便冲洗阀	QB 2948-2008	节电-整机能耗	项	340.00	皖质检（2020）40号
474	小便冲洗阀	QB 2948-2008	安全性能	项	360.00	皖质检（2020）40号
475	小便冲洗阀	QB 2948-2008	表面质量	项	600.00	皖质检（2020）40号
476	小便冲洗阀	QB 2948-2008	控制性能	项	180.00	皖质检（2020）40号
477	小便冲洗阀	QB 2948-2008	密封性能	项	280.00	皖质检（2020）40号
478	小便冲洗阀	QB 2948-2008	强度	项	280.00	皖质检（2020）40号
479	小便冲洗阀	QB 2948-2008	寿命	项	1,000.00	皖质检（2020）40号

480	小便冲洗阀	QB 2948-2008	适应性	项	340.00	皖质检（2020）40号
481	小便冲洗阀	QB 2948-2008	抗干扰性能及电池盒要求	项	460.00	皖质检（2020）40号
482	球墨铸铁金相检验	GB/T 9441-2021	球化率	项	500.00	皖质检（2020）40号
483	不锈钢 多元素含量的测定火花放电原子发射光谱法（常规法）	GB/T 11170-2008	含镍量	项	340.00	皖质检（2020）40号
484	色漆和清漆 漆膜厚度的测定	GB/T 13452.2-2008	漆膜厚度	项	180.00	皖质检（2020）40号
485	色漆和清漆 拉开法附着力试验	GB/T 5210-2006	附着力	项	520.00	皖质检（2020）40号
486	给水管道复合式高速进排气阀	CJ/T217-2013	材料	项	1,000.00	皖质检（2020）40号
487	给水管道复合式高速进排气阀	CJ/T217-2013	公称尺寸	项	100.00	皖质检（2020）40号
488	给水管道复合式高速进排气阀	CJ/T217-2013	公称压力	项	100.00	皖质检（2020）40号
489	给水管道复合式高速进排气阀	CJ/T217-2013	端面连接法兰	项	100.00	皖质检（2020）40号
490	给水管道复合式高速进排气阀	CJ/T217-2013	端面连接螺纹	项	100.00	皖质检（2020）40号
491	给水管道复合式高速进排气阀	CJ/T217-2013	阀体内通过气体的最小流道截面积	项	100.00	皖质检（2020）40号
492	给水管道复合式高速进排气阀	CJ/T217-2013	螺栓和螺母、螺纹尺寸和公差	项	100.00	皖质检（2020）40号
493	给水管道复合式高速进排气阀	CJ/T217-2013	涂装	项	520.00	皖质检（2020）40号
494	给水管道复合式高速进排气阀	CJ/T217-2013	防护网	项	100.00	皖质检（2020）40号
495	给水管道复合式高速进排气阀	CJ/T217-2013	强度	项	500.00	皖质检（2020）40号
496	给水管道复合式高速进排气阀	CJ/T217-2013	密封	项	550.00	皖质检（2020）40号
497	给水管道复合式高速进排气阀	CJ/T217-2013	小排气孔直径	项	100.00	皖质检（2020）40号
498	给水管道复合式高速进排气阀	CJ/T217-2013	浮体组件升降	项	50.00	皖质检（2020）40号
499	给水管道复合式高速进排气阀	CJ/T217-2013	性能	项	500.00	皖质检（2020）40号
500	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	结构长度	项	100.00	皖质检（2020）40号
501	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	连接端	项	100.00	皖质检（2020）40号
502	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	球阀的流道	项	100.00	皖质检（2020）40号
503	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	阀体	项	1,000.00	皖质检（2020）40号
504	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	壳体的连接	项	100.00	皖质检（2020）40号
505	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	填料压盖的螺栓	项	100.00	皖质检（2020）40号
506	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	防静电结构	项	340.00	皖质检（2020）40号
507	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	阀杆防脱结构	项	50.00	皖质检（2020）40号
508	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	阀杆结构	项	180.00	皖质检（2020）40号
509	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	球体	项	180.00	皖质检（2020）40号
510	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	填料和填料箱	项	100.00	皖质检（2020）40号
511	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	操作	项	180.00	皖质检（2020）40号
512	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	无损检测	项	1,000.00	皖质检（2020）40号
513	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	压力试验	项	1,600.00	皖质检（2020）40号
514	石油、石化及相关工业用的钢制球阀	GB/T 12237-2007	材料	项	1,000.00	皖质检（2020）40号
515	阀门	GB/T 30832-2014	阀门流量系数和流阻系数(DN＜50)	项	2,000.00	皖质检（2020）40号
516	阀门	GB/T 30832-2014	阀门流量系数和流阻系数(50≤DN＜100)	项	3,000.00	皖质检（2020）40号
517	阀门	GB/T 30832-2015	阀门流量系数和流阻系数(DN≥100)	项	5,000.00	皖质检（2020）40号
518	金属密封蝶阀	JB/T 8527-2015	阀体标志	项	50.00	皖质检（2020）40号
519	金属密封蝶阀	JB/T 8527-2015	铭牌内容	项	50.00	皖质检（2020）40号
520	showers for bathing	AS/NZS 3662:2005(Incorporating Amendment Nos 1, 2 and 3)	Flow rate	项	500.00	皖质检（2020）40号

521	showers for bathing	AS/NZS 3662:2005(Incorporating Amendment Nos 1, 2 and 3)	Mean spray spread angle	项	500.00	皖质检（2020）40号
522	showers for bathing	AS/NZS 3662:2005(Incorporating Amendment Nos 1, 2 and 3)	Temperature drop	项	500.00	皖质检（2020）40号
523	showers for bathing	AS/NZS 3662:2005(Incorporating Amendment Nos 1, 2 and 3)	Shower hoses	项	3,000.00	皖质检（2020）40号
524	showers for bathing	AS/NZS 3662:2005(Incorporating Amendment Nos 1, 2 and 3)	Tensile strength and watertightness	项	500.00	皖质检（2020）40号
525	showers for bathing	AS/NZS 3662:2005(Incorporating Amendment Nos 1, 2 and 3)	Temperature resistance	项	500.00	皖质检（2020）40号
526	showers for bathing	AS/NZS 3662:2005(Incorporating Amendment Nos 1, 2 and 3)	Effectiveness of rotary connections	项	500.00	皖质检（2020）40号
527	showers for bathing	AS/NZS 3662:2005(Incorporating Amendment Nos 1, 2 and 3)	Watertightness of end connections	项	500.00	皖质检（2020）40号
528	Polyethylene (Pe) Pipes	AS/NZS 4130:2018+Amd 1:2021	Weathering resistance	项	35,000.00	皖质检（2020）40号
529	PE-X Fittings	AS/NZS 2537.3:2011	Thermal stability by hydrostatic pressure testing	项	12,000.00	皖质检（2020）40号
530	居室用玻璃台盆、台面	JC 981-2005	外观质量	项	94.00	皖质检（2020）40号
531	居室用玻璃台盆、台面	JC 981-2005	外形尺寸偏差	项	170.00	皖质检（2020）40号
532	居室用玻璃台盆、台面	JC 981-2005	孔的配置及孔间距	项	170.00	皖质检（2020）40号
533	居室用玻璃台盆、台面	JC 981-2005	孔径及其允许偏差	项	170.00	皖质检（2020）40号
534	居室用玻璃台盆、台面	JC 981-2005	弯曲度	项	170.00	皖质检（2020）40号
535	居室用玻璃台盆、台面	JC 981-2005	I、III类玻璃台面的抗冲击性	项	395.00	皖质检（2020）40号
536	居室用玻璃台盆、台面	JC 981-2005	I、II类玻璃台盆及各类连体台盆的抗冲击性	项	395.00	皖质检（2020）40号
537	居室用玻璃台盆、台面	JC 981-2005	IV类普通台盆及连体台盆的抗冲击性	项	395.00	皖质检（2020）40号
538	居室用玻璃台盆、台面	JC 981-2005	碎片状态	项	1,033.00	皖质检（2020）40号
539	居室用玻璃台盆、台面	JC 981-2005	I,II类玻璃台盆,连体台盆的耐热冲击性	项	370.00	皖质检（2020）40号
540	居室用玻璃台盆、台面	JC 981-2005	IV类玻璃台盆的耐热冲击性	项	370.00	皖质检（2020）40号
541	居室用玻璃台盆、台面	JC 981-2005	耐酸性	项	370.00	皖质检（2020）40号
542	居室用玻璃台盆、台面	JC 981-2005	耐碱性	项	370.00	皖质检（2020）40号
543	家用和类似用途前置过滤器	QB/T 4695-2014	外观	项	90.00	皖质检（2020）40号
544	家用和类似用途前置过滤器	QB/T 4695-2014	净水流量	项	600.00	皖质检（2020）40号
545	家用和类似用途前置过滤器	QB/T 4695-2014	截留率	项	600.00	皖质检（2020）40号
546	家用和类似用途前置过滤器	QB/T 4695-2014	压力降	项	600.00	皖质检（2020）40号
547	家用废弃食物处理器	GB/T 22802-2008	研磨率	项	975.00	皖质检（2020）40号
548	家用废弃食物处理器	GB/T 22802-2008	研磨速度	项	975.00	皖质检（2020）40号
549	家用废弃食物处理器	GB/T 22802-2008	细度百分比	项	975.00	皖质检（2020）40号
550	家用废弃食物处理器	GB/T 22802-2008	噪音要求	项	540.00	皖质检（2020）40号
551	家用废弃食物处理器	GB/T 22802-2008	振动性能	项	345.00	皖质检（2020）40号
552	便器用除臭冲水装置	GB/T 37216-2018	外观	项	70.00	皖质检（2020）40号
553	便器用除臭冲水装置	GB/T 37216-2018	尺寸	项	135.00	皖质检（2020）40号
554	便器用除臭冲水装置	GB/T 37216-2018	安装和拆卸	项	100.00	皖质检（2020）40号
555	便器用除臭冲水装置	GB/T 37216-2018	操作要求	项	100.00	皖质检（2020）40号
556	便器用除臭冲水装置	GB/T 37216-2018	噪声	项	540.00	皖质检（2020）40号
557	便器用除臭冲水装置	GB/T 37216-2018	调节水量功能	项	220.00	皖质检（2020）40号
558	便器用除臭冲水装置	GB/T 37216-2018	排风量	项	490.00	皖质检（2020）40号
559	便器用除臭冲水装置	GB/T 37216-2018	负压效果	项	485.00	皖质检（2020）40号
560	坐便器座圈和盖	JC/T764-2008	尺寸	项	70.00	皖质检（2020）40号
561	坐便器座圈和盖	JC/T764-2008	表面质量	项	50.00	皖质检（2020）40号
562	坐便器座圈和盖	JC/T764-2008	后仰	项	70.00	皖质检（2020）40号
563	坐便器座圈和盖	JC/T764-2008	翘曲量	项	70.00	皖质检（2020）40号
564	坐便器座圈和盖	JC/T764-2008	光滑度	项	90.00	皖质检（2020）40号
565	坐便器座圈和盖	JC/T764-2008	不可恢复弯曲量	项	140.00	皖质检（2020）40号
566	坐便器座圈和盖	JC/T764-2008	摇摆试验	项	500.00	皖质检（2020）40号
567	坐便器座圈和盖	JC/T764-2008	螺栓、螺帽扭矩	项	180.00	皖质检（2020）40号
568	坐便器座圈和盖	JC/T764-2008	撞击试验	项	180.00	皖质检（2020）40号

569	坐便器座圈和盖	JC/T764-2008	开合试验	项	500.00	皖质检（2020）40号
570	坐便器座圈和盖	JC/T764-2008	慢落功能寿命试验	项	500.00	皖质检（2020）40号
571	坐便器座圈和盖	JC/T764-2008	强压试验	项	500.00	皖质检（2020）40号
572	坐便器座圈和盖	JC/T764-2008	静态负载	项	180.00	皖质检（2020）40号
573	坐便器座圈和盖	JC/T764-2008	抗燃性	项	194.00	皖质检（2020）40号
574	坐便器座圈和盖	JC/T764-2008	金属附件耐腐蚀性	项	300.00	皖质检（2020）40号
575	坐便器座圈和盖	JC/T764-2008	涂层硬度	项	180.00	皖质检（2020）40号
576	坐便器座圈和盖	JC/T764-2008	色牢度	项	193.00	皖质检（2020）40号
577	玻璃纤维浴缸	JC/T779-2010	外观	项	100.00	皖质检（2020）40号
578	玻璃纤维浴缸	JC/T779-2010	长度偏差	项	70.00	皖质检（2020）40号
579	玻璃纤维浴缸	JC/T779-2010	耐热水性	项	660.00	皖质检（2020）40号
580	搪瓷浴缸	QB/T2664-2004	外观	项	200.00	皖质检（2020）40号
581	搪瓷浴缸	QB/T2664-2004	耐负载性	项	525.00	皖质检（2020）40号
582	搪瓷浴缸	QB/T2664-2004	耐磨性	项	195.00	皖质检（2020）40号
583	搪瓷浴缸	QB/T2664-2004	耐室温柠檬酸侵蚀性	项	270.00	皖质检（2020）40号
584	搪瓷浴缸	QB/T2664-2004	耐碱侵蚀性	项	270.00	皖质检（2020）40号
585	卫生设备用台盆	QB/T2658-2017	尺寸和偏差	项	140.00	皖质检（2020）40号
586	卫生设备用台盆	QB/T2658-2017	抗负载	项	345.00	皖质检（2020）40号
587	卫生设备用台盆	QB/T2658-2017	划痕测试	项	344.00	皖质检（2020）40号
588	卫生设备用台盆	QB/T2658-2017	耐磨测试	项	341.00	皖质检（2020）40号
589	淋浴房	QB/T2584-2007	表面处理	项	500.00	皖质检（2020）40号
590	不锈钢水槽	GB/T38474-2020	附着力	项	162.00	皖质检（2020）40号
591	不锈钢水槽	GB/T38474-2020	耐跌落性能	项	195.00	皖质检（2020）40号
592	不锈钢水槽	QB/T4013-2010	材料	项	294.00	皖质检（2020）40号
593	不锈钢水槽	QB/T4013-2010	承载能力	项	155.00	皖质检（2020）40号
594	不锈钢水槽	QB/T4013-2010	槽体外形尺寸极限偏差	项	80.00	皖质检（2020）40号
595	不锈钢水槽	QB/T4013-2010	表面质量	项	80.00	皖质检（2020）40号
596	不锈钢水槽	QB/T4013-2010	耐跌落性能	项	195.00	皖质检（2020）40号
597	纺织服装类通用项目	GB/T23322-2018	烷基酚（AP）	项	6,635.00	皖质检（2020）40号
598	纺织服装类通用项目	GB/T23322-2018	烷基酚聚氧乙烯醚（APEO）	项	6,635.00	皖质检（2020）40号
599	纺织服装类通用项目	GB/T 3923.1-2013	断裂伸长率	项	162.00	皖质检（2020）40号
600	纺织服装类通用项目	GB/T 9995-1997	回潮率/含水率	项	152.00	皖质检（2020）40号
601	纺织服装类通用项目	GB/T 8427-2019	耐光色牢度（5级）	项	330.00	皖质检（2020）40号
602	纺织服装类通用项目	GB/T 8427-2019	耐光色牢度（6级）	项	420.00	皖质检（2020）40号
603	纺织服装类通用项目	GB/T 8427-2019	耐光色牢度（7级）	项	1,080.00	皖质检（2020）40号
604	纺织服装类通用项目	GB/T 8427-2019	耐光色牢度（8级）	项	2,160.00	皖质检（2020）40号
605	纺织服装类通用项目	GB/T 5714-2019	耐海水色牢度（变色）	项	75.00	皖质检（2020）40号
606	纺织服装类通用项目	GB/T 5714-2019	耐海水色牢度（沾色）	项	75.00	皖质检（2020）40号
607	纺织服装类通用项目	GB/T 12490-2014	耐家庭和商业洗涤色牢度（变色）	项	75.00	皖质检（2020）40号
608	纺织服装类通用项目	GB/T 12490-2014	耐家庭和商业洗涤色牢度（沾色）	项	75.00	皖质检（2020）40号
609	纺织服装类通用项目	GB/T 3921-2008	耐水洗色牢度（变色）	项	97.00	皖质检（2020）40号
610	纺织服装类通用项目	GB/T 3921-2008	耐水洗色牢度（沾色）	项	97.00	皖质检（2020）40号
611	纺织服装类通用项目	GB/T 23170-2019	人发含量	项	669.00	皖质检（2020）40号
612	纺织服装类通用项目	GB/T 14272-2021	绒丝+羽丝	项	185.00	皖质检（2020）40号
613	纺织服装类通用项目	FZ/T 73001-2016	袜子横向延伸/直向延伸	项	211.00	皖质检（2020）40号
614	纺织服装类通用项目		外观	项	76.00	皖质检（2020）40号
615	纺织服装类通用项目	GB18383-2007	絮用纤维制品中禁用纤维	项	99.00	皖质检（2020）40号
616	纺织服装类通用项目	GB18383-2007	絮用纤维制品中限用纤维	项	99.00	皖质检（2020）40号
617	纺织服装类通用项目	GB18383-2007	絮用纤维制品中不得检出物质	项	99.00	皖质检（2020）40号
618	纺织服装类通用项目	GB/T 8629-2017	预处理水洗20次	项	800.00	皖质检（2020）40号
619	纺织服装类通用项目	GB/T 8629-2017	预处理水洗30次	项	984.00	皖质检（2020）40号
620	纺织服装类通用项目	GB/T 8629-2017	预处理水洗50次	项	1,210.00	皖质检（2020）40号
621	纺织服装类通用项目	GB/T 8629-2017	预处理水洗100次	项	1,515.00	皖质检（2020）40号
622	纺织服装类通用项目	GB/T 8433-2013	耐氯化水（游泳池水）色牢度（变色）	项	330.00	皖质检（2020）40号
623	饮食业油烟净化设备	HJ/T62-2001	技术文件	次	13	皖质检（2020）40号
624	饮食业油烟净化设备	HJ/T62-2001	产品外观	次	14	皖质检（2020）40号

625	饮食业油烟净化设备	HJ/T62-2001	标牌	次	12	皖质检（2020）40号
626	饮食业油烟净化设备	HJ/T62-2001	说明书	次	14	皖质检（2020）40号
627	饮食业油烟净化设备	HJ/T62-2001	净化器的本体阻力	次	418	皖质检（2020）40号
628	饮食业油烟净化设备	HJ/T62-2001	控制箱接地电阻（Ω）	次	188	皖质检（2020）40号
629	饮食业油烟净化设备	HJ/T62-2001	绝缘电阻（MΩ）	次	188	皖质检（2020）40号
630	饮食业油烟净化设备	HJ/T62-2001	湿式油烟净化设备出口烟气含水率	次	1,266	皖质检（2020）40号
631	饮食业油烟净化设备	HJ/T62-2001	设备本体漏风率	次	445	皖质检（2020）40号
632	饮食业油烟净化设备	HJ/T62-2001	正常运行使用时间	次	0	皖质检（2020）40号
633	饮食业油烟净化设备	HJ/T62-2001	额定风量条件下的去除效率	次	2,154	皖质检（2020）40号
634	饮食业油烟净化设备	HJ/T62-2001	80%额定风量条件下的去除效率	次	2,154	皖质检（2020）40号
635	饮食业油烟净化设备	HJ/T62-2001	120%额定风量条件下的去除效率	次	2,154	皖质检（2020）40号
636	饮食业油烟净化设备	HJ 1077-2019	固定污染源废气 油烟和油雾的测定 红外分光光度法	次	1,309	皖质检（2020）40号
637	饮食业油烟净化设备	HJ 38-2017	甲烷非甲烷总烃-气相色谱	次	2,097	皖质检（2020）40号
638	饮食业油烟净化设备	GB 18483-2001	油烟的最高排放浓度和油烟净化设施最低去除效率	次	4,670	皖质检（2020）40号
639	饮食业油烟净化设备	HJ/T 397-2007	排气温度的测定	次	822	皖质检（2020）40号
640	饮食业油烟净化设备	HJ/T 397-2007	排气中水分含量的测定	次	822	皖质检（2020）40号
641	饮食业油烟净化设备	HJ/T 397-2007	排气中CO、CO2、O2等	次	822	皖质检（2020）40号
642	饮食业油烟净化设备	HJ/T 397-2007	排气密度和气体分子量的计算	次	1,266	皖质检（2020）40号
643	饮食业油烟净化设备	HJ/T 397-2007	排气流速、流量的计算	次	1,266	皖质检（2020）40号
644	饮食业油烟净化设备	HJ/T 397-2007	颗粒物的测定	次	878	皖质检（2020）40号
645	饮食业油烟净化设备	HJ/T 397-2007	气态污染物采样	次	656	皖质检（2020）40号
646	饮食业油烟净化设备	HJ 732-2014	固定污染源废气 挥发性有机物的采样 气袋法	次	656	皖质检（2020）40号
647	饮食业油烟净化设备	GB/T 16157-1996	排气温度的测定	次	822	皖质检（2020）40号
648	饮食业油烟净化设备	GB/T 16157-1996	排气中水分含量的测定	次	822	皖质检（2020）40号
649	饮食业油烟净化设备	GB/T 16157-1996	排气中CO、CO2、O2等	次	822	皖质检（2020）40号
650	饮食业油烟净化设备	GB/T 16157-1996	排气压力的测定	次	1,266	皖质检（2020）40号
651	饮食业油烟净化设备	GB/T 16157-1996	排气流速、流量的测定	次	1,266	皖质检（2020）40号
652	饮食业油烟净化设备	GB/T 16157-1996	排气中颗粒物的测定	次	878	皖质检（2020）40号
653	饮食业油烟净化设备	GB/T 16157-1996	气态污染物采样方法	次	656	皖质检（2020）40号
654	不锈钢厨房设备	GB/T38160-2019	化学成分	项	1,398	皖质检（2020）40号
655	不锈钢厨房设备	GB/T38160-2019	保温和隔热材料阻燃性能	项	14	皖质检（2020）40号
656	不锈钢厨房设备	GB/T38160-2019	板材厚度	次	235	皖质检（2020）40号
657	不锈钢厨房设备	GB/T38160-2019	表面粗糙度	次	193	皖质检（2020）40号
658	不锈钢厨房设备	GB/T38160-2019	产品焊接部位	次	14	皖质检（2020）40号
659	不锈钢厨房设备	GB/T38160-2019	各连接部位的紧固件	次	14	皖质检（2020）40号
660	不锈钢厨房设备	GB/T38160-2019	易触及部位	次	14	皖质检（2020）40号
661	不锈钢厨房设备	GB/T38160-2019	易于清扫	次	14	皖质检（2020）40号
662	不锈钢厨房设备	GB/T38160-2019	防腐处理	项	14	皖质检（2020）40号
663	不锈钢厨房设备	GB/T38160-2019	外形尺寸	次	67	皖质检（2020）40号
664	不锈钢厨房设备	GB/T38160-2019	垂直度	次	497	皖质检（2020）40号
665	不锈钢厨房设备	GB/T38160-2019	排水机构和水槽	项	76	皖质检（2020）40号
666	不锈钢厨房设备	GB/T38160-2019	台面、底板等承载	次	162	皖质检（2020）40号
667	不锈钢厨房设备	GB/T38160-2019	框架承载及变形量	次	393	皖质检（2020）40号
668	不锈钢厨房设备	GB/T38160-2019	保温性能	次	201	皖质检（2020）40号

669	不锈钢厨房设备	GB/T38160-2019	表面温升	次	201	皖质检（2020）40号
670	不锈钢厨房设备	GB/T38160-2019	标志、包装、运输、贮存	项	14	皖质检（2020）40号
671	洗碗碟机	QB/T4028-2010	材料	次	14	皖质检（2020）40号
672	洗碗碟机	QB/T4028-2010	设计及结构	次	14	皖质检（2020）40号
673	洗碗碟机	QB/T4028-2010	洗涤温度	次	638	皖质检（2020）40号
674	洗碗碟机	QB/T4028-2010	耗水量	次	659	皖质检（2020）40号
675	洗碗碟机	QB/T4028-2010	节能要求	项	119	皖质检（2020）40号
676	洗碗碟机	QB/T4028-2010	外观	项	19	皖质检（2020）40号
677	洗碗碟机	QB/T4028-2010	安全卫生	项	124	皖质检（2020）40号
678	洗碗碟机	QB/T4028-2010	使用性能	项	325	皖质检（2020）40号
679	洗碗碟机	QB/T4028-2010	标志、包装、运输、贮存、安装	项	14	皖质检（2020）40号
680	燃气器具	DB 34/T 3764-2020	余热利用热效率	次	1,598	皖质检（2020）40号
681	燃气器具	GB/T13610-2020	天燃气热值	次	2,157	皖质检（2020）40号
682	燃气器具	GB/T13610-2020	天然气密度	次	1,917	皖质检（2020）40号
683	燃气器具	GB/T10410-2008	人工煤气和液化石油气热值	次	2,321	皖质检（2020）40号
684	燃气器具	GB/T10410-2008	人工煤气和液化石油气密度	次	2,281	皖质检（2020）40号
685	饮食业油烟净化设备	HJ1077-2019	油烟和油雾浓度的测量	次	1,309	皖质检（2020）40号
686	轨道交通材料	Q/CR 699-2019	烟气毒性	每种材料	8,385	皖质检（2020）40号
687	轨道交通材料	EN 45545-2-2020	烟气毒性	每种材料	8,385	皖质检（2020）40号
688	EMC	GB4343.1-2018	射频发射	项	3,500.00	皖质检（2020）40号
689	EMC	GB/T17625.2-2007	电压波动和闪烁	项	1,500.00	皖质检（2020）40号
690	EMC	GB/T17626.8-2006	工频磁场	项	1,500.00	皖质检（2020）40号
691	EMC	GB/T17626.6-2017	射频场感应的传导骚扰抗扰度	项	3,000.00	皖质检（2020）40号
692	EMC	GB/T17626.13-2006	交流电源端口谐波、谐间波及电网信号的低频抗扰度	项	1,500.00	皖质检（2020）40号
693	电饭锅能效	GB 12021.6-2017	热效率/待机能耗/保温能耗	项	2,500.00	皖质检（2020）40号
694	电磁灶能效	GB 21456-2014	热效率	项	2,500.00	皖质检（2020）40号
695	电磁灶能效	GB 21456-2014	待机功耗	项	500.00	皖质检（2020）40号
696	储水式电热水器能效	GB 21519-2008	额定容量24h固有能耗系数热水输出率	项	6,000.00	皖质检（2020）40号
697	家具类通用项目	GB/T3324-2017	33甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
698	浸渍胶膜纸饰面胶合板和细木工板	GB/T34722-2017	18甲醛释放量	项	3,000.00	皖质检（2020）40号
699	浸渍纸层压木质地板	GB/T18102-2020	22甲醛释放量	项	3,000.00	皖质检（2020）40号
700	绿色产品评价人造板和木质地板	GB/T35601-2017	1.1甲醛释放量	项	3,000.00	皖质检（2020）40号
701	木塑装饰板	GB/T24137-2009	18甲醛释放量	项	3,000.00	皖质检（2020）40号
702	硬质聚氯乙烯地板	GB/T34440-2017	14甲醛释放量	项	3,000.00	皖质检（2020）40号
703	防静电地板	GB/T36340-2018	甲醛释放量	项	3,000.00	皖质检（2020）40号
704	室内装饰装修材料木家具中有害物质限量	GB18580-2017	甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
705	石膏板（吸音板）通用项目	GB/T9775-2008	甲醛释放量	项	3,000.00	皖质检（2020）40号
706	金属家具类通用项目	GB/T3325-2017	20.2甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
707	细木工板	GB/T5849-2016	18甲醛释放量	项	3,000.00	皖质检（2020）40号
708	胶合板	GB/T9846-2017	10甲醛释放量	项	3,000.00	皖质检（2020）40号
709	实木复合地板	GB/T18103-2013	12甲醛释放量	项	3,000.00	皖质检（2020）40号
710	仿古木质地板	LY/T1859-2020	22甲醛释放量	项	3,000.00	皖质检（2020）40号
711	仿古木质地板	LY/T1859-2020	12甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
712	儿童家具	GB28007-2011	18.2甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
713	人造板产品	GB/T17657-2013	36、甲醛释放量(气候箱法)	项	3,000.00	皖质检（2020）40号

714	木质门	WB/T1024-2006	甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
715	钢制书架第1部分：单、复柱书架	GB_T13667.1-2015	6木制件甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
716	木门分类和通用技术要求	GB/T35379-2017	10甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
717	木门窗	GB-T29498-2013	10甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
718	机车车辆非金属材料及室内空气有害物质限量	TBT3139-2021	1.1甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
719	机车车辆非金属材料及室内空气有害物质限量	TBT3139-2021	12.1甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
720	机车车辆非金属材料及室内空气有害物质限量	TBT3139-2021	13.1甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
721	机车车辆非金属材料及室内空气有害物质限量	TBT3139-2021	14.1甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
722	机车车辆非金属材料及室内空气有害物质限量	TBT3139-2021	16.1甲醛释放量（气候箱法）	项	3,000.00	皖质检（2020）40号
723	木材工业胶黏剂	GB/T 14732-2017	11.板材甲醛释放量	项	3,000.00	皖质检（2020）40号
724	室内环境污染物	GB 50325-2020	氡	项	150.00	皖质检（2020）40号
725	室内环境污染物	GB 50325-2020	甲醛	项	120.00	皖质检（2020）40号
726	室内环境污染物	GB 50325-2020	氨	项	100.00	皖质检（2020）40号
727	室内环境污染物	GB 50325-2020	苯	项	80.00	皖质检（2020）40号
728	室内环境污染物	GB 50325-2020	甲苯	项	80.00	皖质检（2020）40号
729	室内环境污染物	GB 50325-2020	二甲苯	项	80.00	皖质检（2020）40号
730	室内环境污染物	GB 50325-2020	总挥发性有机物TVOC	项	150.00	皖质检（2020）40号
731	家具用皮革	GB/T16799-2018	12禁用偶氮染料	项	1,200.00	皖质检（2020）40号
732	防腐木材	GB/T22102-2008	1外观	项	78.00	皖质检（2020）40号
733	防腐木材	GB/T22102-2008	2尺寸及偏差	项	36.00	皖质检（2020）40号
734	防腐木材	GB/T22102-2008	3材质	/	/	皖质检（2020）40号
735	防腐木材	GB/T22102-2008	3.1材质指标	项	1,880.00	皖质检（2020）40号
736	防腐木材	GB/T22102-2008	3.2承重结构木材材质	项	300.00	皖质检（2020）40号
737	防腐木材	GB/T22102-2008	4防腐质量	/	/	皖质检（2020）40号
738	防腐木材	GB/T22102-2008	4.1取样	项	100.00	皖质检（2020）40号
739	防腐木材	GB/T22102-2008	4.2防腐剂边材透入率	项	200.00	皖质检（2020）40号
740	防腐木材	GB/T22102-2008	4.3防腐剂心材透入深度	项	200.00	皖质检（2020）40号
741	防腐木材	GB/T22102-2008	4.4防腐剂保持量	项	1,500.00	皖质检（2020）40号
742	防腐木材	GB/T22102-2008	防腐剂主要成分测定	/	/	皖质检（2020）40号
743	防腐木材	GB/T22102-2008	氨	项	300.00	皖质检（2020）40号
744	防腐木材	GB/T22102-2008	砷	项	300.00	皖质检（2020）40号
745	防腐木材	GB/T22102-2008	铬	项	300.00	皖质检（2020）40号
746	防腐木材	GB/T22102-2008	铜	项	300.00	皖质检（2020）40号
747	防腐木材	GB/T22102-2008	磷酸盐	项	300.00	皖质检（2020）40号
748	防腐木材	GB/T22102-2008	三氧化二硼	项	300.00	皖质检（2020）40号
749	防腐木材	GB/T22102-2008	柠檬酸	项	300.00	皖质检（2020）40号
750	防腐木材	GB/T22102-2008	DDAC	项	300.00	皖质检（2020）40号
751	防腐木材	GB/T22102-2008	BAC	项	300.00	皖质检（2020）40号
752	防腐木材	GB/T22102-2008	BAC	项	300.00	皖质检（2020）40号
753	床垫	QB/T1952.2-2011	17安全要求(床垫对螨虫的杀螨率)	项	3,500.00	皖质检（2020）40号
754	床垫	QB/T1952.2-2011	23卫生安全（致病菌）	项	2,400.00	皖质检（2020）40号
755	家具类通用	GB/T3324-2017	38.结构安全性	项	78.00	皖质检（2020）40号
756	家具类通用	GB/T3324-2017	29.32推拉构件猛开或猛关试验	项	114.00	皖质检（2020）40号
757	金属家具类通用	GB/T3325-2017	33.31推拉构件猛开或猛关试验	项	114.00	皖质检（2020）40号
758	学生公寓多功能家具	QB/T2741	1主要尺寸和尺寸偏差	项	200.00	皖质检（2020）40号
759	学生公寓多功能家具	QB/T2741	2形状与位置公差、安装尺寸偏差	项	200.00	皖质检（2020）40号
760	学生公寓多功能家具	QB/T2741	3外观	项	200.00	皖质检（2020）40号
761	学生公寓多功能家具	QB/T2741	4木材的含水率	项	125.00	皖质检（2020）40号
762	学生公寓多功能家具	QB/T2741	5人造板的含水率	项	200.00	皖质检（2020）40号
763	学生公寓多功能家具	QB/T2741	6.1耐液性（碳酸钠溶液）	项	93.00	皖质检（2020）40号

764	学生公寓多功能家具	QB/T2741	6.2耐液性（乙酸溶液）	项	93.00	皖质检（2020）40号
765	学生公寓多功能家具	QB/T2741	6.3耐湿热	项	93.00	皖质检（2020）40号
766	学生公寓多功能家具	QB/T2741	6.4耐干热	项	93.00	皖质检（2020）40号
767	学生公寓多功能家具	QB/T2741	6.5附着力	项	93.00	皖质检（2020）40号
768	学生公寓多功能家具	QB/T2741	6.6耐冷热温差	项	342.00	皖质检（2020）40号
769	学生公寓多功能家具	QB/T2741	6.7耐磨	项	193.00	皖质检（2020）40号
770	学生公寓多功能家具	QB/T2741	6.8抗冲击	项	193.00	皖质检（2020）40号
771	学生公寓多功能家具	QB/T2741	7.1冲击强度	项	150.00	皖质检（2020）40号
772	学生公寓多功能家具	QB/T2741	7.2漆膜附着力	项	130.00	皖质检（2020）40号
773	学生公寓多功能家具	QB/T2741	7.3耐湿热（48h）	项	240.00	皖质检（2020）40号
774	学生公寓多功能家具	QB/T2741	7.4耐湿热	小时	5.00	皖质检（2020）40号
775	学生公寓多功能家具	QB/T2741	7.5耐腐蚀	项	165.00	皖质检（2020）40号
776	学生公寓多功能家具	QB/T2741	8桌类桌面垂直静载荷	项	114.00	皖质检（2020）40号
777	学生公寓多功能家具	QB/T2741	9桌类键盘托(抽屉)耐久性	项	489.00	皖质检（2020）40号
778	学生公寓多功能家具	QB/T2741	10桌类键盘托(抽屉)滑道强度	项	114.00	皖质检（2020）40号
779	学生公寓多功能家具	QB/T2741	11柜类拉门垂直加载	项	114.00	皖质检（2020）40号
780	学生公寓多功能家具	QB/T2741	12柜类拉门水平加载	项	114.00	皖质检（2020）40号
781	学生公寓多功能家具	QB/T2741	13柜类拉门猛关	项	114.00	皖质检（2020）40号
782	学生公寓多功能家具	QB/T2741	14柜类拉门耐久性	项	114.00	皖质检（2020）40号
783	学生公寓多功能家具	QB/T2741	15柜类移门猛关	项	114.00	皖质检（2020）40号
784	学生公寓多功能家具	QB/T2741	16柜类移门耐久性	项	489.00	皖质检（2020）40号
785	学生公寓多功能家具	QB/T2741	17柜类挂衣棍支承件强度	项	114.00	皖质检（2020）40号
786	学生公寓多功能家具	QB/T2741	18柜类挂衣棍弯	项	114.00	皖质检（2020）40号
787	学生公寓多功能家具	QB/T2741	19床类铺面均布静载荷	项	114.00	皖质检（2020）40号
788	学生公寓多功能家具	QB/T2741	20床类铺面集中静载荷	项	114.00	皖质检（2020）40号
789	学生公寓多功能家具	QB/T2741	21床类铺面冲击	项	114.00	皖质检（2020）40号
790	学生公寓多功能家具	QB/T2741	22书架搁板弯曲	项	114.00	皖质检（2020）40号
791	学生公寓多功能家具	QB/T2741	23书架搁板支承件强度	项	114.00	皖质检（2020）40号
792	学生公寓多功能家具	QB/T2741	24扶梯挠度和强度	项	114.00	皖质检（2020）40号
793	学生公寓多功能家具	QB/T2741	25安全栏静载荷	项	114.00	皖质检（2020）40号
794	学生公寓多功能家具	QB/T2741	26安装	项	78.00	皖质检（2020）40号
795	学生公寓多功能家具	QB/T2741	27甲醛释放量（干燥器）	项	597.00	皖质检（2020）40号
796	学生公寓多功能家具	QB/T2741	28重金属含量(铅铬镉汞)	项	800.00	皖质检（2020）40号
797	学生公寓多功能家具	QB/T2741	29阻燃性	项	3,700.00	皖质检（2020）40号